

Release To Dig

We thank you for your purchase of an in-ground basketball system. Due to the nature of the installation of this equipment. You need to contact either 1-800-892-0123 or JULIE for Illinois or 1-800-DIGRITE For Missouri and have them check for any underground service lines that might be affected while we are digging. The dig service is FREE to you. However, we should give the locators at least 2 - 14 working days' notice to complete the work. You will also need to locate any underground sprinkler lines.

Understand that Swingset Factory Depot, and their contractors or agents working with or on our behalf, will not be held responsible for any damage due to hitting any type of service lines or cables that are located in the area that we will need to dig to install or relocate your new equipment.

The purchaser and/or the below-signed are fully responsible for any damage to property(s) or person(s) due to hitting any underground service line(s), or supply line(s) in the area in which we are digging or working. The purchaser, and/or the below-signed will be fully responsible for any repair work that might arise should any damage occur while digging.

We at Swingset Factory Depot want the installation of your new equipment to be as safe for you, and our contractors; so please allow the appropriate people inspect your site for any obstructions, and remember that it is now State Law. Thank you for your cooperation.

811 is the local service in all of USA. This service can take from 2-7 days to complete their survey.

An adult needs to be present during the installation of the anchor. We will only need someone there for the second part of installation if the area is secured by pets or gates. Minimum of three dry days between the two services required to complete installation.

Customer Signature:		
	(I have read and understand the above information)	
Print Name:		Date:
Sales Person:		Date:

Basketball Goal Questionnaire

(THIS QUESTIONNAIRE **MUST** ACCOMPANY ALL BASKETBALL ORDERS)

2. V	Yes Vill we be hauling awa	No our existing basNo	ketball system (+\$250 Anchor removal/Haul away)?
3. V	Yes Vill we be hauling awa	No	ketball system (+\$250 Anchor removal/Haul away)?
3. V	Will we be hauling awa		
_	Will we be hauling awa		
_	Voc	ay your existing	basketball system (+\$100/portable haul away)?
	Yes	No	
4. V	Will the new basketba	II system be goi	ng into the existing hole?
_	Yes	No	
5. P	Placement of the goal	anchor: What t	ype of surface will we be digging in?
	Concrete – n	ormal install cha	arge plus \$150.
	Blacktop – n	ormal install cha	irge plus \$40.
	Dirt/Grass –	normal install cl	narge.
	Other		
6. C	Obstacles that we mig	ht encounter w	nile digging.
_	Sprinkler System	1	
_	Water Lines		
_	Utilities		
_	Fence		
_	Existing/Old Bas	ketball Pole	
7. B	Be sure area of backbo	ard is free from	trees/wires/etc.
8. P	Please check off extension from pole to backboard that you purchased.		
_	2-1/2ft.	3ft.	4ft.
9. P	Please describe locatio	n or simple dra	wing for us to share with the survey service your area:
V	Ve use a skid steer to r	nove earth. Plea	se mark below where you would like the extra dirt placed.
		We do	not haul dirt away.

If answered YES, and no water source is available, there will be a \$299 trip fee charged in which you are required to pay. Please initial either Yes or No below _____YES, we have a working faucet outside. _____No, we do not have a working faucet outside. By signing below you acknowledge that all information above is accurate. Customer Signature: Customer Print Name:

Do you have a working faucet outside for mixing concrete?